

Typical Filtering Application

Typical Filtering Application

Filtering out

Typical Filtering Application

Filtering out noise

Typical Filtering Application

Filtering out noise from samples of an audio signal.

Typical Filtering Application

Filtering out noise from samples of an audio signal.




Typical Filtering Application

Filtering out noise from samples of an audio signal.




Typical Filtering Application

Filtering out noise from samples of an audio signal.




Typical Filtering Application

Filtering out noise from samples of an audio signal.




Typical Filtering Application

Filtering out noise from samples of an audio signal.




Typical Filtering Application

Filtering out noise from samples of an audio signal.




Typical Filtering Application

Filtering out noise from samples of an audio signal.




Typical Filtering Application

Filtering out noise from samples of an audio signal.



Typical Filtering Application


Filtering out noise from samples of an audio signal.



No need to

Typical Filtering Application

Filtering out noise from samples of an audio signal.




No need to

- parse the signal into segments

Typical Filtering Application

Filtering out noise from samples of an audio signal.




No need to

- parse the signal into segments (in fact,

Typical Filtering Application

Filtering out noise from samples of an audio signal.




No need to

- parse the signal into segments (in fact, the samples could form an infinite sequence)

Typical Filtering Application

Filtering out noise from samples of an audio signal.




No need to

- parse the signal into segments (in fact, the samples could form an infinite sequence)
- compute DFTs

Typical Filtering Application

Filtering out noise from samples of an audio signal.




No need to

- parse the signal into segments (in fact, the samples could form an infinite sequence)
- compute DFTs/IDFTs

Typical Filtering Application

Filtering out noise from samples of an audio signal.




No need to

- parse the signal into segments (in fact, the samples could form an infinite sequence)
- compute DFTs/IDFTs

Challenge:

Typical Filtering Application

Filtering out noise from samples of an audio signal.




No need to

- parse the signal into segments (in fact, the samples could form an infinite sequence)
- compute DFTs/IDFTs

Challenge: Design a filter with the desired characteristic.

Typical Filtering Application

Filtering out noise from samples of an audio signal.



No need to

- parse the signal into segments (in fact, the samples could form an infinite sequence)
- compute DFTs/IDFTs

Challenge: Design a filter with the desired characteristic.

Introductory Example

Introductory Example

Filter

Introductory Example

Filter acts on the `input` sequence

Introductory Example

Filter acts on the **input** sequence $x[\cdot]$

Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence

Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$

Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$

$$y[n] =$$

Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$

$$y[n] = x[n]$$

Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$

$$y[n] = x[n] + 2x[n - 1]$$

Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$

$$y[n] = x[n] + 2x[n - 1] + 2x[n - 2]$$

Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$

$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$

Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation

$$y[n] = x[n] + 2x[n - 1] + 2x[n - 2] + x[n - 3]$$

Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation

$$y[n] = x[n] + 2x[n - 1] + 2x[n - 2] + x[n - 3]$$

$x[n]$

_____ n

Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation

$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$

$x[n]$





$y[n]$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation



$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation



$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation



$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation



$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation



$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation


$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation

$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$




Moving-average

Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation

$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$




Moving-average filter

Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation

$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$




Moving-average filter; also known as **FIR**

Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation

$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$




Moving-average filter; also known as **FIR** (**f**inite-**d**uration

Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation

$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$




Moving-average filter; also known as **FIR** (**f**inite-**d**uration **i**mpulse

Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation

$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$




Moving-average filter; also known as **FIR** (**f**inite-**d**uration **i**mpulse **r**esponse).

Introductory Example

Filter acts on the **input** sequence $x[\cdot]$ to produce the **output** sequence $y[\cdot]$, according to the equation

$$y[n] = x[n] + 2x[n-1] + 2x[n-2] + x[n-3]$$



Moving-average filter; also known as **FIR** (**f**inite-**d**uration **i**mpulse **r**esponse).