

# Cryptography

## Lecture 23

# Announcements

- HW8 due 5/4
- HW9 due 5/11

# Agenda

- Last time:
  - Elliptic Curve Groups
  - Key Exchange Definitions (10.3)
- This time:
  - More on Key Exchange Definitions
  - Diffie-Hellman Key Exchange (10.3)
  - El Gamal Encryption (11.4)
  - RSA Encryption (11.5)

# Key Agreement

The key-exchange experiment  $KE_{A,\Pi}^{eav}(n)$ :

1. Two parties holding  $1^n$  execute protocol  $\Pi$ . This results in a transcript  $trans$  containing all the messages sent by the parties, and a key  $k$  output by each of the parties.
2. A uniform bit  $b \in \{0,1\}$  is chosen. If  $b = 0$  set  $\hat{k} := k$ , and if  $b = 1$  then choose  $\hat{k} \in \{0,1\}^n$  uniformly at random.
3.  $A$  is given  $trans$  and  $\hat{k}$ , and outputs a bit  $b'$ .
4. The output of the experiment is defined to be 1 if  $b' = b$  and 0 otherwise.

Definition: A key-exchange protocol  $\Pi$  is secure in the presence of an eavesdropper if for all ppt adversaries  $A$  there is a negligible function  $neg$  such that

$$\Pr \left[ KE_{A,\Pi}^{eav}(n) = 1 \right] \leq \frac{1}{2} + neg(n).$$

# Discussion of Definition

- Why is this the “right” definition?
- Why does the adversary get to see  $\hat{k}$ ?



# Diffie-Hellman Key Exchange




FIGURE 10.2: The Diffie-Hellman key-exchange protocol.

# Recall DDH problem

We say that the DDH problem is hard relative to  $G$  if for all ppt algorithms  $A$ , there exists a negligible function  $neg$  such that

$$|\Pr[A(G, q, g, g^x, g^y, g^z) = 1] - \Pr[A(G, q, g, g^x, g^y, g^{xy}) = 1]| \leq neg(n).$$



# Security Analysis

Theorem: If the DDH problem is hard relative to  $\mathcal{G}$ , then the Diffie-Hellman key-exchange protocol  $\Pi$  is secure in the presence of an eavesdropper.



# Public Key Encryption

Definition: A public key encryption scheme is a triple of ppt algorithms  $(Gen, Enc, Dec)$  such that:

1. The key generation algorithm  $Gen$  takes as input the security parameter  $1^n$  and outputs a pair of keys  $(pk, sk)$ . We refer to the first of these as the public key and the second as the private key. We assume for convenience that  $pk$  and  $sk$  each has length at least  $n$ , and that  $n$  can be determined from  $pk, sk$ .
2. The encryption algorithm  $Enc$  takes as input a public key  $pk$  and a message  $m$  from some message space. It outputs a ciphertext  $c$ , and we write this as  $c \leftarrow Enc_{pk}(m)$ .
3. The deterministic decryption algorithm  $Dec$  takes as input a private key  $sk$  and a ciphertext  $c$ , and outputs a message  $m$  or a special symbol  $\perp$  denoting failure. We write this as  $m := Dec_{sk}(c)$ .

Correctness: It is required that, except possibly with negligible probability over  $(pk, sk)$  output by  $Gen(1^n)$ , we have  $Dec_{sk}(Enc_{pk}(m)) = m$  for any legal message  $m$ .

# CPA-Security

The CPA experiment  $PubK^{cpa}_{A,\Pi}(n)$ :

1.  $Gen(1^n)$  is run to obtain keys  $(pk, sk)$ .
2. Adversary  $A$  is given  $pk$ , and outputs a pair of equal-length messages  $m_0, m_1$  in the message space.
3. A uniform bit  $b \in \{0,1\}$  is chosen, and then a challenge ciphertext  $c \leftarrow Enc_{pk}(m_b)$  is computed and given to  $A$ .
4.  $A$  outputs a bit  $b'$ . The output of the experiment is 1 if  $b' = b$ , and 0 otherwise.

Definition: A public-key encryption scheme  $\Pi = (Gen, Enc, Dec)$  is CPA-secure if for all ppt adversaries  $A$  there is a negligible function  $neg$  such that

$$\Pr \left[ PubK^{cpa}_{A,\Pi}(n) = 1 \right] \leq \frac{1}{2} + neg(n).$$

# Discussion

- Discuss how in the public key setting security in the presence of an eavesdropper and CPA security are equivalent (since anyone can encrypt using the public key).
- Discuss how CPA-secure encryption cannot be deterministic!!
  - Why not?

# El Gamal Encryption

--Show how we can derive El Gamal PKE from  
Diffie-Hellman Key Exchange



# Important Property

Lemma: Let  $G$  be a finite group, and let  $m \in G$  be arbitrary. Then choosing uniform  $k \in G$  and setting  $k' := k \cdot m$  gives the same distribution for  $k'$  as choosing uniform  $k' \in G$ . Put differently, for any  $\hat{g} \in G$  we have

$$\Pr[k \cdot m = \hat{g}] = 1/|G|.$$



# El Gamal Encryption Scheme

## *CONSTRUCTION 11.16*

Let  $\mathcal{G}$  be as in the text. Define a public-key encryption scheme as follows:

- Gen: on input  $1^n$  run  $\mathcal{G}(1^n)$  to obtain  $(\mathbb{G}, q, g)$ . Then choose a uniform  $x \leftarrow \mathbb{Z}_q$  and compute  $h := g^x$ . The public key is  $\langle \mathbb{G}, q, g, h \rangle$  and the private key is  $\langle \mathbb{G}, q, g, x \rangle$ . The message space is  $\mathbb{G}$ .
- Enc: on input a public key  $pk = \langle \mathbb{G}, q, g, h \rangle$  and a message  $m \in \mathbb{G}$ , choose a uniform  $y \leftarrow \mathbb{Z}_q$  and output the ciphertext

$$\langle g^y, h^y \cdot m \rangle.$$

- Dec: on input a private key  $sk = \langle \mathbb{G}, q, g, x \rangle$  and a ciphertext  $\langle c_1, c_2 \rangle$ , output

$$\hat{m} := c_2 / c_1^x.$$

The El Gamal encryption scheme.

# Security Analysis

Theorem: If the DDH problem is hard relative to  $G$ , then the El Gamal encryption scheme is CPA-secure.

# Textbook RSA Encryption

## *CONSTRUCTION 11.25*

Let  $\text{GenRSA}$  be as in the text. Define a public-key encryption scheme as follows:

- **Gen:** on input  $1^n$  run  $\text{GenRSA}(1^n)$  to obtain  $N, e$ , and  $d$ . The public key is  $\langle N, e \rangle$  and the private key is  $\langle N, d \rangle$ .
- **Enc:** on input a public key  $pk = \langle N, e \rangle$  and a message  $m \in \mathbb{Z}_N^*$ , compute the ciphertext

$$c := [m^e \bmod N].$$

- **Dec:** on input a private key  $sk = \langle N, d \rangle$  and a ciphertext  $c \in \mathbb{Z}_N^*$ , compute the message

$$m := [c^d \bmod N].$$

The plain RSA encryption scheme.

# Is Plain-RSA Secure?

- It is deterministic so cannot be secure!

# Additional Attacks

We will look at additional attacks in one of the upcoming discussion sessions.