Due by 2pm on 4/25/2022.

1. Compute $3^{1000} \mod 100$ by hand.

2. Compute $[101^{4,800,000,023} \mod 35]$ by hand.

3. Let $N = pq$ be a product of two distinct primes. Show that if $\phi(N)$ and N are known, then it is possible to compute p and q in polynomial time.

   Hint: Derive a quadratic equation (over the integers) in the unknown p.

4. Let $N = pq$ be a product of two distinct primes. Show that if N and an integer $d \leq \phi(N)$ such that $3 \cdot d \equiv 1 \mod \phi(N)$ are known, then it is possible to compute p and q in polynomial time.

   Hint: Obtain a small list of possibilities for $\phi(N)$ and then use the previous exercise.

5. Fix N, e with $gcd(e, \phi(N)) = 1$, and assume there is an adversary A running in time t for which

$$\Pr[A([x^e \mod N]) = x] = 0.01,$$

   where the probability is taken over uniform choice of $x \in Z_N^*$. Show that it is possible to construct an adversary A' for which
$$\Pr[A'(x^e \mod N) = x] = 0.99$$

   for *all* x. The running time t' of A' should be polynomial in t and $||N||$ (the number of *bits* it takes to write down N).

   Hint: Use the fact that $y^{1/e} \cdot r = (y \cdot r^e)^{1/e}$.