

Cryptography

Lecture 6

Announcements

- HW2 due Monday, 2/14
- Readings/Quizzes on Canvas due tomorrow (2/10 @11:59pm)

Agenda

- Last time:
 - Indistinguishability in the presence of an eavesdropper (K/L 3.2)
 - Defining PRG (K/L 3.3)
- This time:
 - Constructing computationally secure SKE from PRG (K/L 3.3)
 - Security Proof (K/L 3.3)
 - Class Exercise on PRG's


Pseudorandom Generator

- Functionality
 - Deterministic algorithm G
 - Takes as input a short random seed s
 - Outputs a long string $G(s)$
- Security
 - No efficient algorithm can “distinguish” $G(s)$ from a truly random string r .
 - i.e. passes all “statistical tests.”
- Intuition:
 - Stretches a small amount of true randomness to a larger amount of pseudorandomness.
- Why is this useful?
 - We will see that pseudorandom generators will allow us to beat the Shannon bound of $|K| \geq |M|$.
 - I.e. we will build a computationally secure encryption scheme with $|K| < |M|$

Pseudorandom Generator (PRG)

$$r \in \{0,1\}^{\ell(n)}$$

Truly random bit string r of length $\ell(n)$ is sampled and given to D .



$$s \in \{0,1\}^n, G(s)$$

Truly random bit string s of length n is sampled. $G(s)$ is given to D .

PRF: Any efficient D cannot tell which world it is in.

$$|\Pr[D(r) = 1] - \Pr[D(G(s)) = 1]| \leq \textit{negligible}$$

Pseudorandom Generators

Definition: Let $\ell(\cdot)$ be a polynomial and let G be a deterministic poly-time algorithm such that for any input $s \in \{0,1\}^n$, algorithm G outputs a string of length $\ell(n)$. We say that G is a **pseudorandom generator** if the following two conditions hold:

1. (Expansion:) For every n it holds that $\ell(n) > n$.
2. (Pseudorandomness:) For all ppt distinguishers D , there exists a negligible function $negl$ such that:


$$|\Pr[D(r) = 1] - \Pr[D(G(s)) = 1]| \leq negl(n),$$

where r is chosen uniformly at random from $\{0,1\}^{\ell(n)}$, the **seed** s is chosen uniformly at random from $\{0,1\}^n$, and the probabilities are taken over the random coins used by D and the choice of r and s .

The function $\ell(\cdot)$ is called the **expansion factor** of G .

Constructing Secure Encryption Schemes

A Secure Fixed-Length Encryption Scheme



The Encryption Scheme

Let G be a pseudorandom generator with expansion factor ℓ . Define a private-key encryption scheme for messages of length ℓ as follows:

- *Gen*: on input 1^n , choose $k \leftarrow \{0,1\}^n$ uniformly at random and output it as the key.
- *Enc*: on input a key $k \in \{0,1\}^n$ and a message $m \in \{0,1\}^{\ell(n)}$, output the ciphertext
$$c := G(k) \oplus m.$$
- *Dec*: on input a key $k \in \{0,1\}^n$ and a ciphertext $c \in \{0,1\}^{\ell(n)}$, output the plaintext message
$$m := G(k) \oplus c.$$

Security Analysis

Theorem: If G is a pseudorandom generator, then the Construction above is a fixed-length private-key encryption scheme that has indistinguishable encryptions in the presence of an eavesdropper.

Indistinguishability in the presence of an eavesdropper

Definition: A private key encryption scheme $\Pi = (Gen, Enc, Dec)$ has **indistinguishable encryptions in the presence of an eavesdropper** if for all probabilistic polynomial-time adversaries A there exists a negligible function $negl$ such that

$$\Pr \left[PrivK^{eav}_{A, \Pi}(n) = 1 \right] \leq \frac{1}{2} + negl(n),$$

Where the prob. is taken over the random coins used by A , as well as the random coins used in the experiment.

Pseudorandom Generators

Definition: Let $\ell(\cdot)$ be a polynomial and let G be a deterministic poly-time algorithm such that for any input $s \in \{0,1\}^n$, algorithm G outputs a string of length $\ell(n)$. We say that G is a **pseudorandom generator** if the following two conditions hold:

1. (Expansion:) For every n it holds that $\ell(n) > n$.
2. (Pseudorandomness:) For all ppt distinguishers D , there exists a negligible function $negl$ such that:

$$\left| \Pr[D(r) = 1] - \Pr[D(G(s)) = 1] \right| \leq negl(n),$$

where r is chosen uniformly at random from $\{0,1\}^{\ell(n)}$, the **seed** s is chosen uniformly at random from $\{0,1\}^n$, and the probabilities are taken over the random coins used by D and the choice of r and s .

The function $\ell(\cdot)$ is called the **expansion factor** of G .

Security Analysis

- Proof by reduction method.

Security Analysis

Proof: Let A be a ppt adversary trying to break the security of the construction. We construct a distinguisher D that uses A as a subroutine to break the security of the PRG.

Distinguisher D :

D is given as input a string $w \in \{0,1\}^{\ell(n)}$.

1. Run $A(1^n)$ to obtain messages $m_0, m_1 \in \{0,1\}^{\ell(n)}$.
2. Choose a uniform bit $b \in \{0,1\}$. Set $c := w \oplus m_b$.
3. Give c to A and obtain output b' . Output **1** if $b' = b$, and output **0** otherwise.

Security Analysis

Consider the probability D outputs 1 in the case that w is random string r vs. w is a pseudorandom string $G(s)$.

- When w is random, D outputs 1 with probability exactly $\frac{1}{2}$. Why?
- When w is pseudorandom, D outputs 1 with probability $\Pr \left[\text{PrivK}^{eav}_{A,\Pi}(n) = 1 \right] = \frac{1}{2} + \rho(n)$, where ρ is non-negligible.

Security Analysis

D 's distinguishing probability is:

$$\left| \frac{1}{2} - \left(\frac{1}{2} + \rho(n) \right) \right| = \rho(n).$$

This is a contradiction to the security of the PRG, since ρ is non-negligible.