

# Solutions

## ENEE 457: Computer Systems Security PRF Class Exercise 10/9/19

Let  $F$  be a length-preserving pseudorandom function. For the following constructions of a keyed function  $F': \{0,1\}^n \times \{0,1\}^{n-1} \rightarrow \{0,1\}^{2n}$ , state whether  $F'$  is a pseudorandom function. If yes, prove it; if not, show an attack.

1. a) How many functions are there from  $\{0,1\}^n \rightarrow \{0,1\}^n$ ?

Truth table has  $2^n$  number of rows. For each row there are  $2^n$  number of choices. So the total number is  $(2^n)^{2^n} = 2^{n \cdot 2^n}$ .

b) How many *permutations* are there from  $\{0,1\}^n \rightarrow \{0,1\}^n$ ?

Truth table has  $2^n$  rows. For row  $i$  there are  $(2^n - i + 1)$  choices.  
So the total number of choices is  $2^n * (2^n - 1) * (2^n - 2) \dots = (2^n)!$

c) What is the expected number of bits needed to describe a random function  $f$ ?

$$\log_2(2^{n \cdot 2^n}) = n \cdot 2^n.$$

d) What is the expected number of bits needed to describe a random permutation  $f$ ?

$\log_2((2^n)!) .$  By Stirling's approximation,  $\log(x!) \approx \log(x^x)$  so this is also  $\log((2^n)^{2^n}) = \log(2^{n \cdot 2^n}) = n \cdot 2^n.$

e) Let  $F$  be a length-preserving pseudorandom function,  $F: \{0,1\}^n \times \{0,1\}^n \rightarrow \{0,1\}^n$ .

Assuming the description of  $F$  is public, how many bits are needed to represent a function  $F_k$ ?  
 $n$  bits.

2. Consider a keyed function  $F: \{0,1\}^n \times \{0,1\}^n \rightarrow \{0,1\}^n$ .

a) If  $F$  has the property that for all  $k, x, y: F_k(x \oplus y) = F_k(x) \oplus F_k(y)$ , can  $F$  be a pseudorandom function? Justify your answer.

No. Because given  $x, y \neq 0$  and  $F_k(x)$  and  $F_k(y)$ , we can predict the value of  $F_k(x \oplus y) = F_k(x) \oplus F_k(y)$ . Whereas for a (pseudo) random function, knowing the value of the function on 2 points should give no information about its value at a third distinct point.

b) If  $F$  has the property that for all  $k, \ell, x: F_{k \oplus \ell}(x) = F_k(x) \oplus F_\ell(x)$ , can  $F$  be a pseudorandom function? Justify your answer.

Yes, this is possible. In the security game the attacker \*only\* gets access to  $F$  with a particular secret key  $k$ . Therefore, the attacker would not be able to obtain the values  $F_k(x)$  and  $F_\ell(x)$  in a security game with secret key  $k \oplus \ell$ . (It would only be able to obtain the values  $F_{k \oplus \ell}(x)$  and  $F_{k'}(x)$  for known  $k'$ .)