

Introduction to Cryptology

Lecture 24

Announcements

- Optional HW12 up on course webpage. Due on 5/14.
- Please fill out survey for final review session.
- Review problems for final exam will be up by end of the week.

Agenda

- Last time:
 - RSA Encryption and Weaknesses (11.5)
- This time:
 - Digital Signatures Definitions (12.2-12.3)
 - RSA Signatures (12.4)
 - Dlog-based signatures (12.5)

Digital Signatures Definition

A digital signature scheme consists of three ppt algorithms $(Gen, Sign, Vrfy)$ such that:

1. The key-generation algorithm Gen takes as input a security parameter 1^n and outputs a pair of keys (pk, sk) . We assume that pk, sk each have length at least n , and that n can be determined from pk or sk .
2. The signing algorithm $Sign$ takes as input a private key sk and a message m from some message space (that may depend on pk). It outputs a signature σ , and we write this as $\sigma \leftarrow Sign_{sk}(m)$.
3. The deterministic verification algorithm $Vrfy$ takes as input a public key pk , a message m , and a signature σ . It outputs a bit b , with $b = 1$ meaning valid and $b = 0$ meaning invalid. We write this as $b := Vrfy_{pk}(m, \sigma)$.

Correctness: It is required that except with negligible probability over (pk, sk) output by $Gen(1^n)$, it holds that $Vrfy_{pk}(m, Sign_{sk}(m)) = 1$ for every message m .

Digital Signatures Definition: Security

Experiment $SigForge_{A,\Pi}(n)$:

1. $Gen(1^n)$ is run to obtain keys (pk, sk) .
2. Adversary A is given pk and access to an oracle $Sign_{sk}(\cdot)$. The adversary then outputs (m, σ) . Let Q denote the set of all queries that A asked to its oracle.
3. A succeeds if and only if
 1. $Vrfy_{pk}(m, \sigma) = 1$
 2. $m \notin Q$.

In this case the output of the experiment is defined to be 1.

Definition: A signature scheme $\Pi = (Gen, Sign, Vrfy)$ is existentially unforgeable under an adaptive chosen-message attack, if for all ppt adversaries A , there is a negligible function neg such that:

$$\Pr[SigForge_{A,\Pi}(n) = 1] \leq neg(n).$$

RSA Signatures

CONSTRUCTION 12.5

Let GenRSA be as in the text. Define a signature scheme as follows:

- **Gen**: on input 1^n run GenRSA(1^n) to obtain (N, e, d) . The public key is $\langle N, e \rangle$ and the private key is $\langle N, d \rangle$.
- **Sign**: on input a private key $sk = \langle N, d \rangle$ and a message $m \in \mathbb{Z}_N^*$, compute the signature

$$\sigma := [m^d \bmod N].$$

- **Vrfy**: on input a public key $pk = \langle N, e \rangle$, a message $m \in \mathbb{Z}_N^*$, and a signature $\sigma \in \mathbb{Z}_N^*$, output 1 if and only if

$$m \stackrel{?}{=} [\sigma^e \bmod N].$$

The plain RSA signature scheme.

Attacks

No message attack:

Choose $s \in Z_N^*$, compute s^e .

Output $(m = s^e, \sigma = s)$ as the forgery.

Attacks

Forging a signature on an arbitrary message:

To forge a signature on message m , choose arbitrary $m_1, m_2 \neq 1$ such that $m = m_1 \cdot m_2$.

Query oracle for $(m_1, \sigma_1), (m_2, \sigma_2)$.

Output (m, σ) , where $\sigma = \sigma_1 \cdot \sigma_2$.

RSA-FDH

CONSTRUCTION 12.6

Let GenRSA be as in the previous sections, and construct a signature scheme as follows:

- **Gen**: on input 1^n , run $\text{GenRSA}(1^n)$ to compute (N, e, d) . The public key is $\langle N, e \rangle$ and the private key is $\langle N, d \rangle$.

As part of key generation, a function $H : \{0, 1\}^* \rightarrow \mathbb{Z}_N^*$ is specified, but we leave this implicit.

- **Sign**: on input a private key $\langle N, d \rangle$ and a message $m \in \{0, 1\}^*$, compute

$$\sigma := [H(m)^d \bmod N].$$

- **Vrfy**: on input a public key $\langle N, e \rangle$, a message m , and a signature σ , output 1 if and only if $\sigma^e \stackrel{?}{=} H(m) \bmod N$.

The RSA-FDH signature scheme.

Random Oracles

- Assume certain hash functions behave exactly like a random oracle.
- The “oracle” is a box that takes a binary string as input and returns a binary string as output.
- The internal workings of the box are unknown.
- All parties (honest parties and adversary) have access to the box.
- The box is consistent.
- Oracle implements a random function by choosing values of $H(x)$ “on the fly.”

Principles of RO Model

1. If x has not been queried to H , then the value of $H(x)$ is uniform.
2. If A queries x to H , the reduction can see this query and learn x .
3. The reduction can set the value of $H(x)$ to a value of its choice, as long as this value is correctly distributed, i.e., uniform.

Security of RSA-FDH

Theorem: If the RSA problem is hard relative to $GenRSA$ and H is modeled as a random oracle, then the construction above is secure.

PKCS #1 v2.1

- Uses an instantiation of RSA-FDH for signing.
- SHA-1 should not be used “off-the-shelf” as an instantiation of H because output length is too small and so practical short-message attacks apply.
- In PKCS #1 v2.1, H is constructed via repeated application of an underlying cryptographic hash function.

Signatures from the DL problem

Identification Schemes




FIGURE 12.1: A 3-round identification scheme.

Identification Schemes

The identification experiment $\text{Ident}_{\mathcal{A},\Pi}(n)$:

1. $\text{Gen}(1^n)$ is run to obtain keys (pk, sk) .
2. Adversary \mathcal{A} is given pk and access to an oracle $\text{Trans}_{sk}(\cdot)$ that it can query as often as it likes.
3. At any point during the experiment, \mathcal{A} outputs a message I . A uniform challenge $r \in \Omega_{pk}$ is chosen and given to \mathcal{A} , who responds with s . (We allow \mathcal{A} to continue querying $\text{Trans}_{sk}(\cdot)$ even after receiving c .)
4. The experiment evaluates to 1 if and only if $\mathcal{V}(pk, r, s) \stackrel{?}{=} I$.

DEFINITION 12.8 Identification scheme $\Pi = (\text{Gen}, \mathcal{P}_1, \mathcal{P}_2, \mathcal{V})$ is secure against a passive attack, or just secure, if for all probabilistic polynomial-time adversaries \mathcal{A} , there is a negligible function negl such that:

$$\Pr[\text{Ident}_{\mathcal{A},\Pi}(n) = 1] \leq \text{negl}(n).$$

The Schnorr Identification Scheme




FIGURE 12.2: An execution of the Schnorr identification scheme.

Security Analysis

Theorem: If the Dlog problem is hard relative to G then the Schnorr identification scheme is secure.

Security Analysis

Idea of proof:

- Oracle can generate correctly distributed transcripts without knowing x .
 - How?

Security Analysis

Idea of proof:

- Given an attacker A who successfully responds to challenges with non-negligible probability, can construct an attacker A' who extracts the discrete log x of y by ****rewinding****.